

TO...

DATE OF INVOICE 22 JUL 2025

INVOICE DUE DATE 04 AUG 2025

INVOICE # INV-10857

REFERENCE # CAPELLI TEMPEST 38 - ANNUAL SERVICE

Description	Quantity	Unit Price	Amount AUD
Travel Lift / Haul Out: Lift, stand and re- launch vessel.	1.00	1,003.5455	1,003.55
Hardstand Storage / Lay Day: 1 x Day	1.00	597.6364	597.64
Prep and Antifoul: High pressure clean, scrape, sand and prep hull for antifoul. Mask waterline, spot-prime where required then antifoul hull using ALTEX #5+ high strength ablative antifoul. Including prep, prime and antifoul of thrusters, fittings, trim tabs etc with VIVID copper-free antifoul.	1.00	2,874.5273	2,874.53
Antifoul - Outboard Trim Unit: High pressure clean, scrape and sand drive housing for antifoul. mask entire transom and outboard leg with masking plastic. spot prime where required. Apply 2 x Coats of VIVID copper free antifoul to drive housing. De- mask and touch up.	2.00	186.3636	372.73
Environmental / OHS Levy	1.00	142.50	142.50
Side Power Anode (M)	1.00	44.7273	44.73
Rudder Anode 125mm	1.00	59.0909	59.09
// EXTRAS //	1.00	204.5455	204.55

Gelcoat Repair (underneath waterline):

Tend to vessel on slipway.

Grind out damage.

Acetone wipe and prep repairs.

Fill repair with epoxy filler.

Sand and shape repairs.

Prep, prime and antifoul repairs.

Consumables	1.00	59.0909	59.09
Labour Mechanical:	2.00	931.8182	1,863.64

Engine: XF425

Hours: 86

Carry out annual service.

Disconnect Battery/s

Load test battery and check over battery switch, lugs and terminals.

Remove cowlings and inspect cowling rubbers for damage

Check latches and lubricate if needed

Check over engine for corrosion damage

Check for any fluid leaks throughout engine

Check all fuel hoses and lines

Check timing belt for wear or damage

Check timing pulleys and gears

Change fuel cartridge and inline filter along with associated O-rings

Replace fuel/water separator filter and clean out any water in bowls

Prime fuel circuit checking for leaks.

Remove and inspect thermostats, replace if needed along with cover gaskets

Remove all spark plugs and carry out compression test.

Grease new threads and replace plugs.

Check coils/leads for damage/cracks

Remove and replace oil filter.

Drain Engine oil from sump and replace sump gasket

Disconnect and remove propeller from prop shaft

Inspect prop shaft seals and prop shaft for damage or corrosion

Inspect propeller bushing for wear or cracks

Disconnect and remove gearbox and drain gear oil

Remove water pump housing and inspect for wear/damage

Replace water pump impeller and associated face plate gaskets.

Reinstall Water pump housing

Refill gear oil and replace drain and fill O-rings

Check driveshaft for wear and grease splines

Check midsection for corrosion in exhaust etc.

Refit gearbox, grease prop shaft and install propeller with new split pin

Refill engine oil to correct level

Inspect trim unit operation, rams and wiring

Inspect/replace all external anodes.

Inspect earth cables

Grease all grease nipples

Inspect torque on all engine mounts and steering connections.

Inspect steering system; including ram, helm and hoses/cables.

Clean out any salt deposits under cowling

Run up engine on flush and check gear shift operation.

Check water flow from tell tail

Apply corrosion inhibitor to all necessary components.

Reset maintenance meter

Replace maintenance sticker

Sea trial vessel if applicable

Clean and pack up

Element Assy, Oil

2.00

47.1545

94.31

Fuel Filter Element 10UM	2.00	40.90	81.80
Gasket Fuel Filter	2.00	24.6273	49.25
Impeller	2.00	61.0818	122.16
O-Ring Water Pump Housing	2.00	12.0727	24.15
Drain O-ring	2.00	3.9182	7.84
Filler O-ring	4.00	2.4091	9.64
Bar Anode	2.00	58.9273	117.85
Cotter Pin	2.00	3.2182	6.44
Fuel / Water Separator	2.00	67.5818	135.16
Yamalube 4-Stroke Engine Oil (1L)	15.60	13.6002	212.16
High Performance GL5 Gear Oil (1L)	4.00	20.00	80.00
Plug, Spark*	16.00	0.00	0.00
Re-used - ok			
Thermostat 6GR *	4.00	0.00	0.00
Re-used - ok			
Thermostat 66M *	2.00	0.00	0.00
Re-used - ok			
Cav Plate Anode	2.00	0.00	0.00
Re-used - ok			
Thermostat 6H3 *	2.00	0.00	0.00
Re-used - ok			
Yamaha Diagnostic Plug-In:	2.00	72.7273	145.45
Carry out engine parameter data analysis and supply report			
Clear all faults if applicable			
Check for fault codes and report on findings			
Consumables & Environmental/Oil Waste/Fuel Waste Levy:	1.00	22.7273	22.73
Rags, Grease, Weather protectant spray, Parts cleaner, Degreaser, Cable ties, SIKA, Fastenings, Wire connectors			
Etc			
Freight and Handling	1.00	8.9091	8.91
Note:			
-Struts for rear seat/hatch are faulty and not holding			

Subtotal	8,339.90
Total GST 10%	833.97
Invoice Total	9,173.87
Total Net Payments	0.00

Amount Due 9,173.87

TERMS..

All parts and accessories remain the property of Ryan Short Marine Services Pty Ltd until this invoice is paid in FULL.

Payment must be made on or before the due date and prior to the collection of vessel or parts.

Full terms are supplied upon request or can be found on our website at www.shortmarine.com.au/terms

..HOW TO PAY

Via **Credit Card** (click link below)

[View and pay online now](#)

OR

Direct Transfer to Bank Account

BSB: 012 349 **Account Number:** 322 597 946

Account Name: Ryan Short Marine

*Credit Card surcharges apply**

INVOICE TO...

DATE OF INVOICE 11 JUL 2024
INVOICE DUE DATE 20 JUL 2024
INVOICE # INV-8138
REFERENCE # CAPELLI TEMPEST 38 - ANNUAL
ANTIFOUL & ENGINE SERVICE

Description	Quantity	Unit Price	Amount AUD
Travel Lift / Haul Out: Lift, stand and re- launch vessel.	1.00	1,003.58	802.86
Hardstand Storage / Lay Day: 1 x Day	1.00	597.74	478.19
Prep and Antifoul: High pressure clean, scrape, sand and prep hull for antifoul. Mask waterline, spot-prime where required then antifoul hull using International Micron Extra II ablative antifoul. Including prep, prime and antifoul of thrusters, fittings, trim tabs etc with VIVID copper-free antifoul.	1.00	2,881.92	2,305.54
Antifoul - Outboard Trim Unit: High pressure clean, scrape and sand drive housing for antifoul. mask entire transom and outboard leg with masking plastic. spot prime where required. Apply 2 x Coats of VIVID copper free antifoul to drive housing. De- mask and touch up.	2.00	185.38	296.61
Environmental / OHS Levy	1.00	142.50	114.00
Rudder Anode 125mm Dia CMF125Z	1.00	34.10	27.28
Side Power Anode (M)	1.00	44.73	35.78
Labour Mechanical:	2.00	930.91	1,489.45

Carry out annual service.

Disconnect Battery/s
Load test battery and check over battery switch, lugs and terminals.
Remove cowlings and inspect cowling rubbers for damage
Check latches and lubricate if needed
Check over engine for corrosion damage
Check for any fluid leaks throughout engine
Check all fuel hoses and lines
Check timing belt for wear or damage
Check timing pulleys and gears
Change fuel cartridge and inline filter along with associated O-rings

Replace fuel/water separator filter and clean out any water in bowls
Prime fuel circuit checking for leaks.
Remove and inspect thermostats, replace if needed along with cover gaskets
Remove all spark plugs and carry out compression test.
Grease new threads and replace plugs.
Check coils/leads for damage/cracks
Remove and replace oil filter.
Drain Engine oil from sump and replace sump gasket
Disconnect and remove propeller from prop shaft
Inspect prop shaft seals and prop shaft for damage or corrosion
Inspect propeller bushing for wear or cracks
Disconnect and remove gearbox and drain gear oil
Remove water pump housing and inspect for wear/damage
Replace water pump impeller and associated face plate gaskets.
Reinstall Water pump housing
Refill gear oil and replace drain and fill O-rings
Check driveshaft for wear and grease splines
Check midsection for corrosion in exhaust etc.
Refit gearbox, grease prop shaft and install propeller with new split pin
Refill engine oil to correct level
Inspect trim unit operation, rams and wiring
Inspect/replace all external anodes.
Inspect earth cables
Grease all grease nipples
Inspect torque on all engine mounts and steering connections.
Inspect steering system; including ram, helm and hoses/cables.
Clean out any salt deposits under cowling
Run up engine on flush and check gear shift operation.
Check water flow from tell tail
Apply corrosion inhibitor to all necessary components.
Reset maintenance meter
Replace maintenance sticker
Sea trial vessel if applicable
Clean and pack up

ENGINE HOURS:

Port: 70hrs

Stbd: 68hrs

Gasket Fuel Filter	2.00	24.63	39.40
Element Assy, Oil	2.00	47.15	75.45
Plug, Spark	16.00	33.55	429.38
Impeller	2.00	61.08	97.73
Drain O-ring	2.00	3.92	6.27
Filler O-ring	4.00	2.41	7.71
Cav Plate Anode	2.00	44.94	71.90
Bar Anode	2.00	58.93	94.28

SHORT MARINE

Services
NSW

SHORT MARINE SERVICES PTY LTD
PHONE: (02) 9968 4478
ACCOUNTS@SHORTMARINE.COM.AU
83 PARRIWI ROAD, MOSMAN NSW 2088
ABN: 75 642 200 422

Cotter Pin	2.00	3.22	5.15
Thermostat 6H3	2.00	55.07	88.12
Thermostat 6GR	4.00	125.50	401.60
Fuel Filter Element 10UM	2.00	40.90	65.44
O-Ring Water Pump Housing	2.00	12.07	19.32
Fuel / Water Separator - S3227	2.00	61.44	98.30
High Performance GL5 Gear Oil (1L)	4.00	20.00	64.00
Freight and Handling	1.00	8.91	7.13
Yamalube 4-Stroke Engine Oil (1L)	15.60	13.60	169.73
Consumables & Environmental/Oil Waste/Fuel Waste Levy: Rags, Grease, Weather protectant spray, Parts cleaner, Degreaser, Cable ties, SIKA, Fastenings, Wire connectors Etc	1.00	22.73	18.18
Yamaha Diagnostic Plug-In: Carry out engine parameter data analysis and supply report Clear all faults if applicable Check for fault codes and report on findings	2.00	72.73	116.36
VIP DISCOUNT - 20% OFF Saving of - \$2,041.93			

As approved by Sam Short.

Subtotal	7,425.16
Total GST 10%	742.51
Invoice Total	8,167.67
Total Net Payments	0.00

Amount Due **8,167.67**

TERMS..

All parts and accessories remain the property of Short Marine Pty Ltd until this invoice is paid in FULL. Payment must be made on or before the due date and prior to the collection of vessel or parts. Full terms are supplied upon request or can be found on our website at www.shortmarine.com.au/terms

..HOW TO PAY

Via **Credit Card** (click link below)

[View and pay online now](#)

OR

Direct Transfer to Bank Account

BSB: 012 349

Account Number: 322 646 509

Account Name: Short Marine
Services Pty Ltd



SHORT MARINE

Services
NSW

SHORT MARINE SERVICES PTY LTD

PHONE: (02) 9968 4478

ACCOUNTS@SHORTMARINE.COM.AU

83 PARRIWI ROAD, MOSMAN NSW 2088

ABN: 75 642 200 422

